L Number	Hits	Search Text	DB	Time stamp
1	897	544/298	USPAT; US-PGPUB; EPO; JPO	2002/03/07 14:42
2	501	544/315	USPAT; US-PGPUB; EPO; JPO	2002/03/07 14:42
3	956	544/316	USPAT; US-PGPUB; EPO; JPO	2002/03/07 14:42
4	663	544/317	USPAT; US-PGPUB; EPO; JPO	2002/03/07 14:42
5	1035	544/319	USPAT; US-PGPUB; EPO; JPO	2002/03/07 14:46
6	1331	514/269	USPAT; US-PGPUB; EPO; JPO	2002/03/07 14:46

V. Balasubramanian

Trying 3106016892...Open

Welcome to STN International! Enter x:x
Welcome to STN International! Enter x:
LOGINID:ssspta1611bxv
PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2	Sep 17	IMSworld Pharmaceutical Company Directory name change to PHARMASEARCH
NEWS	3	Oct 09	Korean abstracts now included in Derwent World Patents Index
NEWS	4	Oct 09	Number of Derwent World Patents Index updates increased
NEWS	5	Oct 15	Calculated properties now in the REGISTRY/ZREGISTRY File
NEWS	6	Oct 22	Over 1 million reactions added to CASREACT
NEWS	7	Oct 22	DGENE GETSIM has been improved
NEWS	8	Oct 29	AAASD no longer available
NEWS	9	Nov 19	New Search Capabilities USPATFULL and USPAT2
NEWS	10	Nov 19	TOXCENTER(SM) - new toxicology file now available on STN
NEWS	11	Nov 29	COPPERLIT now available on STN
NEWS	12	Nov 29	DWPI revisions to NTIS and US Provisional Numbers
NEWS	13	Nov 30	Files VETU and VETB to have open access
NEWS	14	Dec 10	WPINDEX/WPIDS/WPIX New and Revised Manual Codes for 2002
NEWS	15	Dec 10	DGENE BLAST Homology Search
NEWS	16	Dec 17	WELDASEARCH now available on STN
NEWS	17	Dec 17	STANDARDS now available on STN
NEWS	18	Dec 17	New fields for DPCI
NEWS	19	Dec 19	CAS Roles modified
NEWS	20	Dec 19	1907-1946 data and page images added to CA and CAplus
NEWS	21	Jan 25	BLAST(R) searching in REGISTRY available in STN on the Web
NEWS	22	Jan 25	Searching with the P indicator for Preparations
NEWS	23	Jan 29	FSTA has been reloaded and moves to weekly updates
NEWS	24	Feb 01	DKILIT now produced by FIZ Karlsruhe and has a new update frequency
NEWS	25	Feb 19	Access via Tymnet and SprintNet Eliminated Effective 3/31/02

NEWS EXPRESS	February 1 CURRENT WINDOWS VERSION IS V6.0d, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002
NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS INTER	General Internet Information
NEWS LOGIN	Welcome Banner and News Items
NEWS PHONE	Direct Dial and Telecommunication Network Access to STN
NEWS WWW	CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

V. Balasubramanian

FILE 'HOME' ENTERED AT 11:19:35 ON 07 MAR 2002

=> file reg
COST IN U.S. DOLLARS | SINCE FILE ENTRY | TOTAL SESSION
FULL ESTIMATED COST | 0.15 | 0.15

FILE 'REGISTRY' ENTERED AT 11:20:09 ON 07 MAR 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

STRUCTURE FILE UPDATES: 5 MAR 2002 HIGHEST RN 398451-41-7
DICTIONARY FILE UPDATES: 5 MAR 2002 HIGHEST RN 398451-41-7

TSCA INFORMATION NOW CURRENT THROUGH July 7, 2001

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:
http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf

The P indicator for Preparations was not generated for all of the CAS Registry Numbers that were added to the H/Z/CA/CAplus files between 12/27/01 and 1/23/02. Use of the P indicator in online and SDI searches during this period, either directly appended to a CAS Registry Number or by qualifying an L-number with /P, may have yielded incomplete results. As of 1/23/02, the situation has been resolved. Also, note that searches conducted using the PREP role indicator were not affected.

Customers running searches and/or SDIs in the H/Z/CA/CAplus files incorporating CAS Registry Numbers with the P indicator between 12/27/01 and 1/23/02, are encouraged to re-run these strategies. Contact the CAS Help Desk at 1-800-848-6533 in North America or 1-614-447-3698, worldwide, or send an e-mail to help@cas.org for further assistance or to receive a credit for any duplicate searches.

=>
Uploading 09803659.str

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR

V. Balasubramanian



G1 C,N

Structure attributes must be viewed using STN Express query preparation.

```
=> s l1 sss sam
SAMPLE SEARCH INITIATED 11:21:15 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -  42807 TO ITERATE

  2.3% PROCESSED    1000 ITERATIONS                                 50 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **INCOMPLETE**
                        BATCH   **INCOMPLETE**
PROJECTED ITERATIONS:       843869 TO   868411
PROJECTED ANSWERS:           67486 TO    74632

L2            50 SEA SSS SAM L1

=> d scan

L2    50 ANSWERS   REGISTRY  COPYRIGHT 2002 ACS
IN    Propanamide, N-[2-(dimethylamino)ethyl]-3-[[6-(4-hydroxy-3-methylphenyl)-4-
      phenyl-2-pyridinyl]amino]-N-methyl- (9CI)
MF    C26 H32 N4 O2
```



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):49

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, 2-[[4-(4-fluorophenyl)-6-(trifluoromethyl)-2-pyrimidinyl]thio]-N-[(4-methoxyphenyl)methyl]- (9CI)
MF C21 H17 F4 N3 O2 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Phenol, 2-[6-(cyclopentylamino)-4-(1-naphthalenyl)-2-pyridinyl]-4-fluoro- (9CI)
MF C26 H23 F N2 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzonitrile, 4-[2-[(cyclohexylmethyl)amino]-6-(2-hydroxy-5-methylphenyl)-4-pyridinyl]- (9CI)
MF C26 H27 N3 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Phenol, 4-bromo-2-[6-(cyclopentylamino)-4-[2-(difluoromethoxy)phenyl]-2-pyridinyl]- (9CI)
MF C23 H21 Br F2 N2 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Phenol, 2-[4-(2,6-dichlorophenyl)-6-[(3-methylbutyl)amino]-2-pyridinyl]-4-fluoro- (9CI)
MF C22 H21 Cl2 F N2 O

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Phenol, 2-methyl-4-[6-[(4-methylcyclohexyl)amino]-4-(4-quinolinyl)-2-pyridinyl]- (9CI)
MF C28 H29 N3 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 1,4-Benzenediamine, 2-(6-methyl-2-pyridinyl)- (9CI)
MF C12 H13 N3
CI COM



V. Balasubramanian

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2-Thiophenecarboxylic acid, 5-[5-[[1,4-dihydro-6-(3-iodophenyl)-4-oxo-2-pyrimidinyl]thio]pentyl]-, methyl ester (9CI)
MF C21 H21 I N2 O3 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Propanoic acid, 2,2',2''-[1,3,5-triazine-2,4,6-triyltris[(3-hydroxy-4,1-phenylene)oxy]]tris[2-methyl-, trimethyl ester (9CI)
MF C36 H39 N3 O12



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Propanamide, N-[2-(4-chloro-3-fluoro-5-iodo-2-pyridinyl)phenyl]-2,2-dimethyl- (9CI)
MF C16 H15 Cl F I N2 O

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-[2-[[2-[4-[4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl]-3-hydroxyphenoxy]-1-oxopropyl]amino]methylethyl]-.omega.-[2-[[2-[4-[4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl]-3-hydroxyphenoxy]-1-oxopropyl]amino]methylethoxy]- (9CI)
MF (C3 H6 O)n C62 H66 N8 O7
CI IDS, PMS

PAGE 1-A



PAGE 1-B



PAGE 2-A

2 (D1—Me)

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzenamine, 2-(3-fluoro-4-methyl-2-pyridinyl)- (9CI)
MF C12 H11 F N2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2-Butenoic acid, 2-[[6-(3,4-dimethylphenyl)-2-pyridinyl]oxy]-, methyl ester (9CI)
MF C18 H19 N O3

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 5-(decyloxy)-2-(4-propylphenyl)- (9CI)
MF C23 H34 N2 O
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 3(2H)-Pyridazinone, 4-chloro-2-(1,1-dimethylethyl)-5-[[[4-(2-pyrimidinyl)phenyl]methyl]thio]- (9CI)
MF C19 H19 Cl N4 O S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyridine, 3-chloro-2-(2-fluorophenyl)- (9CI)
MF C11 H7 Cl F N



V. Balasubramanian

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 3-Pyridinecarboxylic acid, 2-(2-cyclopentylethyl)-4,6-bis(4-fluorophenyl)-5-(hydroxymethyl)-, ethyl ester (9CI)
MF C28 H29 F2 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 10H-Phenothiazine, 10-[[[3-cyano-4-[3-methoxy-4-(phenylmethoxy)phenyl]-6-phenyl-2-pyridinyl]thio]acetyl]- (9CI)
MF C40 H29 N3 O3 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

V. Balasubramanian

IN Acetamide, N-[4-[2-(5-fluoro-2-hydroxyphenyl)-6-[(4-methylcyclohexyl)amino]-4-pyridinyl]phenyl]- (9CI)
MF C26 H28 F N3 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Phenol, 4-[6-(ethylamino)-4-(3-thienyl)-2-pyridinyl]- (9CI)
MF C17 H16 N2 O S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Phenol, 4-chloro-2-[4-(4-ethylphenyl)-6-[[(tetrahydro-2-furanyl)methyl]amino]-2-pyridinyl]- (9CI)
MF C24 H25 Cl N2 O2

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Phenol, 4-[4-(5-chloro-2-thienyl)-6-(hexylamino)-2-pyridinyl]-2-methyl- (9CI)
MF C22 H25 Cl N2 O S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Phenol, 2-[4-(2-methylphenyl)-6-(1-pyrrolidinyl)-2-pyridinyl]- (9CI)
MF C22 H22 N2 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

V. Balasubramanian

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Thiourea, [4-(4-methyl-2-pyridinyl)phenyl]- (9CI)
MF C13 H13 N3 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 3-Pyridinecarboxylic acid, 2-(4-cyanophenyl)-6-[[2-[(5-nitro-2-pyridinyl)amino]ethyl]amino]-, ethyl ester (9CI)
MF C22 H20 N6 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Phenol, 2,6-dibromo-4-[6-phenyl-2-(1-piperidinyl)-4-pyrimidinyl]- (9CI)
MF C21 H19 Br2 N3 O

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Urea, N-(2,6-dichlorophenyl)-N-(6-phenyl-2-pyridinyl)- (9CI)
MF C18 H13 Cl2 N3 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2-Pyridinamine, 6-[4-[2-[4-amino-2,6-bis(1-methylethyl)-1-piperidinyl]ethyl]phenyl]-, monohydrochloride, (2R,6S)-rel-[partial]- (9CI)
MF C24 H36 N4 . Cl H

Relative stereochemistry.

V. Balasubramanian



● HCl

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzenesulfonamide, N-[2-[(acetyloxy)methyl]-6-phenyl-3-pyridinyl]- (9CI)
MF C20 H18 N2 O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyridine, 2-chloro-4,5-bis(chloromethyl)-6-(3,4-dimethoxyphenyl)-3-methyl- (9CI)
MF C16 H16 Cl3 N O2



V. Balasubramanian

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyridine, 3,4-difluoro-5-[4-(octyloxy)phenyl]-2-[4-[(2,2,3,3,4,4,5,5,6,6,7,7,7-tridecafluoroheptyl)oxy]phenyl]- (9CI)
MF C32 H28 F15 N O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 1,3,5-Triazinium, 2-chloro-4,6-bis(4-chlorophenyl)-1-(2-naphthalenyl)- (9CI)
MF C25 H15 Cl3 N3
CI COM



L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzaldehyde, (4-methyl-6-phenyl-2-pyrimidinyl)hydrazone (9CI)
MF C18 H16 N4



V. Balasubramanian

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-(4-chlorophenyl)-2-[[3-cyano-4-(4-methoxyphenyl)-6-phenyl-2-pyridinyl]thio]- (9CI)
MF C27 H20 Cl N3 O2 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Propanamide, 2-[(3-cyano-4,6-diphenyl-2-pyridinyl)thio]-N-(3,4-dimethylphenyl)- (9CI)
MF C29 H25 N3 O S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Phenol, 2-[4-(3,5-difluorophenyl)-6-(1-pyrrolidinyl)-2-pyridinyl]-5-methoxy- (9CI)
MF C22 H20 F2 N2 O2

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Butanamide, N-[3-[4-(4-cyanophenyl)-6-[(3-methylbutyl)amino]-2-pyridinyl]-4-hydroxyphenyl]- (9CI)
MF C27 H30 N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Butanoic acid, 4-[[6-[3-(aminocarbonyl)-4-hydroxyphenyl]-4-(4-chlorophenyl)-2-pyridinyl]amino]- (9CI)
MF C22 H20 Cl N3 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

V. Balasubramanian

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 1,2-Propanediol, 3-[[4-(2,6-difluorophenyl)-6-(4-hydroxy-3-methylphenyl)-2-pyridinyl]amino]- (9CI)
MF C21 H20 F2 N2 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Poly[[4-(4-methoxyphenyl)-2,6-pyridinediyl]-1,4-phenyleneiminocarbonyl-1,4-phenylenecarbonylimino-1,4-phenylene] (9CI)
MF (C32 H23 N3 O3)n
CI PMS



L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 5-butoxy-2-phenyl- (9CI)
MF C14 H16 N2 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

V. Balasubramanian

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzeneacetamide, N-[3-[[(2S)-2-[(3,4-dichlorobenzoyl)amino]-4-methyl-1-oxopentyl]amino]-2-oxopropyl]-3-(2-pyridinyl)- (9CI)
MF C29 H30 Cl2 N4 O4

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 2-[4-[(6S)-6-fluoro-7-[2,2,3,3-tetrafluoro-3-(nonafluorobutoxy)propoxy]heptyl]phenyl]-5-(octyloxy)- (9CI)
MF C32 H38 F14 N2 O3

Absolute stereochemistry.

PAGE 1-A



PAGE 1-B



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzenesulfonic acid, 2-[[[5-[18-[5-[5-[(4,6-diphenyl-2-pyridinyl)oxy]-1,1-dimethylpentyl]-2H-tetrazol-2-yl]-1,17-dioxo-6,9,12-trioxa-2,16-diazaoctadec-1-yl]-2-pyridinyl]hydrazono]methyl]- (9CI)
MF C50 H60 N10 O9 S

V. Balasubramanian

PAGE 1-A



PAGE 1-B



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzoic acid, 2,2'-(2,6-pyridinediyl)bis[6-hydroxy-4-(2-pyridinyl)-, dimethyl ester (9CI)
MF C31 H23 N3 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzoic acid, 2-chloro-5-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-4-fluoro-, 2-ethoxy-2-oxoethyl ester (9CI)
MF C17 H11 Cl2 F4 N O4

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzenesulfonic acid, 5-(acetylamino)-2-[[5-[4-chloro-6-[[[(4-methoxyphenyl)amino]thioxomethyl]amino]-1,3,5-triazin-2-yl]-2,4-dihydroxyphenyl]azo]-, monosodium salt (9CI)
MF C25 H21 Cl N8 O7 S2 . Na



L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 2-[4-[[2,2,3,3,4,4,5,5,6,6-decafluoro-6-[1,1,2,2-tetrafluoro-2-[1,1,2,2-tetrafluoro-2-(trifluoromethoxy)ethoxy]ethoxy]hexyl]oxy]phenyl]-5-octyl- (9CI)
MF C29 H25 F21 N2 O4

PAGE 1-A



PAGE 1-B

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2,7-Naphthalenedisulfonic acid, 3-[[5-[[4-chloro-6-[methyl[2-[[2-(sulfooxy)ethyl]sulfonyl]ethyl]amino]-1,3,5-triazin-2-yl]amino]-2-sulfophenyl]azo]-5-[[4-[4-fluoro-6-(4-morpholinyl)-1,3,5-triazin-2-yl]benzoyl]amino]-4-hydroxy- (9CI)
MF C38 H36 Cl F N12 O18 S5

PAGE 1-A



—OSO_3H

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> log y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	1.28	1.43

STN INTERNATIONAL LOGOFF AT 11:22:43 ON 07 MAR 2002

Connection closed by remote host

V. Balasubramanian

Trying 3106016892...Open

Welcome to STN International! Enter x:x
LOGINID:ssspta1611bxv
PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS 1		Web Page URLs for STN Seminar Schedule - N. America
NEWS 2	Sep 17	IMSworld Pharmaceutical Company Directory name change to PHARMASEARCH
NEWS 3	Oct 09	Korean abstracts now included in Derwent World Patents Index
NEWS 4	Oct 09	Number of Derwent World Patents Index updates increased
NEWS 5	Oct 15	Calculated properties now in the REGISTRY/ZREGISTRY File
NEWS 6	Oct 22	Over 1 million reactions added to CASREACT
NEWS 7	Oct 22	DGENE GETSIM has been improved
NEWS 8	Oct 29	AAASD no longer available
NEWS 9	Nov 19	New Search Capabilities USPATFULL and USPAT2
NEWS 10	Nov 19	TOXCENTER(SM) - new toxicology file now available on STN
NEWS 11	Nov 29	COPPERLIT now available on STN
NEWS 12	Nov 29	DWPI revisions to NTIS and US Provisional Numbers
NEWS 13	Nov 30	Files VETU and VETB to have open access
NEWS 14	Dec 10	WPINDEX/WPIDS/WPIX New and Revised Manual Codes for 2002
NEWS 15	Dec 10	DGENE BLAST Homology Search
NEWS 16	Dec 17	WELDASEARCH now available on STN
NEWS 17	Dec 17	STANDARDS now available on STN
NEWS 18	Dec 17	New fields for DPCI
NEWS 19	Dec 19	CAS Roles modified
NEWS 20	Dec 19	1907-1946 data and page images added to CA and CAplus
NEWS 21	Jan 25	BLAST(R) searching in REGISTRY available in STN on the Web
NEWS 22	Jan 25	Searching with the P indicator for Preparations
NEWS 23	Jan 29	FSTA has been reloaded and moves to weekly updates
NEWS 24	Feb 01	DKILIT now produced by FIZ Karlsruhe and has a new update frequency
NEWS 25	Feb 19	Access via Tymnet and SprintNet Eliminated Effective 3/31/02

NEWS EXPRESS	February 1 CURRENT WINDOWS VERSION IS V6.0d, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002
NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS INTER	General Internet Information
NEWS LOGIN	Welcome Banner and News Items
NEWS PHONE	Direct Dial and Telecommunication Network Access to STN
NEWS WWW	CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

V. Balasubramanian

FILE 'HOME' ENTERED AT 11:37:26 ON 07 MAR 2002

=> file reg
COST IN U.S. DOLLARS

	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.15	0.15

FILE 'REGISTRY' ENTERED AT 11:37:36 ON 07 MAR 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

STRUCTURE FILE UPDATES: 5 MAR 2002 HIGHEST RN 398451-41-7
DICTIONARY FILE UPDATES: 5 MAR 2002 HIGHEST RN 398451-41-7

TSCA INFORMATION NOW CURRENT THROUGH July 7, 2001

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:
http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf

The P indicator for Preparations was not generated for all of the CAS Registry Numbers that were added to the H/Z/CA/CAplus files between 12/27/01 and 1/23/02. Use of the P indicator in online and SDI searches during this period, either directly appended to a CAS Registry Number or by qualifying an L-number with /P, may have yielded incomplete results. As of 1/23/02, the situation has been resolved. Also, note that searches conducted using the PREP role indicator were not affected.

Customers running searches and/or SDIs in the H/Z/CA/CAplus files incorporating CAS Registry Numbers with the P indicator between 12/27/01 and 1/23/02, are encouraged to re-run these strategies. Contact the CAS Help Desk at 1-800-848-6533 in North America or 1-614-447-3698, worldwide, or send an e-mail to help@cas.org for further assistance or to receive a credit for any duplicate searches.

=>
Uploading 09803659-2.str

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR

V. Balasubramanian



Structure attributes must be viewed using STN Express query preparation.

```
=> s l1 sss sam
SAMPLE SEARCH INITIATED 11:38:05 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -  26473 TO ITERATE

  3.8% PROCESSED    1000 ITERATIONS                                50 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **INCOMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:       519767 TO   539153
PROJECTED ANSWERS:           30906 TO    35804

L2            50 SEA SSS SAM L1

=> d scan

L2   50 ANSWERS   REGISTRY  COPYRIGHT 2002 ACS
IN   1H-Indole-1-carboxamide, 5-bromo-2,3-dihydro-6-(4-methyl-1-piperazinyl)-N-
     [3-methyl-4-(5-pyrimidinyl)phenyl]- (9CI)
MF   C25 H27 Br N6 O
CI   COM
```



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

V. Balasubramanian

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):49

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 4-chloro-5-ethyl-2-(4-fluorophenyl)-6-[3-(trifluoromethyl)phenyl]- (9CI)
MF C19 H13 Cl F4 N2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 5-decyl-2-[4-[3-[(2-fluorooctyl)oxy]propoxy]phenyl]- (9CI)
MF C31 H49 F N2 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzaldehyde, 3-fluoro-, [2-phenyl-6-(trifluoromethyl)-4-pyrimidinyl]hydrazone (9CI)
MF C18 H12 F4 N4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 4-(3-furanyl)-2-(4-methyl-1-piperazinyl)-6-phenyl- (9CI)
MF C19 H20 N4 O

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 5-[(2-fluorohexyl)oxy]-2-[3-fluoro-4-[[(4-octylcyclohexyl)oxy]methyl]phenyl]-, trans- (9CI)
MF C31 H46 F2 N2 O2

Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzamide, 2-chloro-N-[[[3-chloro-4-[[5-phenyl-4-(trifluoromethyl)-2-pyrimidinyl]oxy]phenyl]amino]carbonyl]- (9CI)
MF C25 H15 Cl2 F3 N4 O3



V. Balasubramanian

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyridine, 4-[3-(aminoiminomethyl)phenyl]-1-[4-[2-[[2-(dimethylamino)ethyl]methylamino]-4-pyrimidinyl]benzoyl]-1,2,3,6-tetrahydro-, bis(trifluoroacetate) (9CI)
MF C28 H33 N7 O . 2 C2 H F3 O2

CM 1



CM 2



L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 2-[4-(5-octenyloxy)phenyl]-5-(4-pentylphenyl)-, (Z)- (9CI)
MF C29 H36 N2 O

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzoic acid, 2-fluoro-, 1-[2,5-bis[[4-(octyloxy)benzoyl]oxy]phenyl]ethyl ester, mixt. with 5-(dodecyloxy)-2-[4-(octyloxy)phenyl]pyrimidine (9CI)
MF C45 H53 F O8 . C30 H48 N2 O2

V. Balasubramanian

CI MXS

CM 1

PAGE 1-A



PAGE 2-A



CM 2



L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2(1H)-Pyrimidinone, 4,6-diphenyl-, [1-[(2-hydroxyphenyl)azo]ethylidene]hydrazone (9CI)

09/803,659

V. Balasubramanian

MF C24 H20 N6 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2-Pyrimidinecarboxaldehyde, 1,4-dihydro-4-oxo-5-(4-phenoxyphenyl)-, 2-(O-acetyloxime) (9CI)
MF C19 H15 N3 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzamide, N-(5-benzoyl-1,6-dihydro-2-phenyl-6-thioxo-4-pyrimidinyl)- (9CI)
MF C24 H17 N3 O2 S





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

V. Balasubramanian

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzoic acid, 4,4'-(2,5-pyrimidinediyl)bis- (9CI)
MF C18 H12 N2 O4
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 4(1H)-Pyrimidinethione, 5-(methylsulfonyl)-2-phenyl-6-propyl- (9CI)
MF C14 H16 N2 O2 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 2-(3,4-difluorophenyl)- (9CI)
MF C10 H6 F2 N2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 2-[4-[(2,3-difluoroheptyl)oxy]phenyl]-5-octyl-, (R*,R*)- (9CI)
MF C25 H36 F2 N2 O

Relative stereochemistry.

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2,4,6-Pyrimidinetriamine, 5-(4-chlorophenyl)-N4-(3-methylphenyl)- (9CI)
MF C17 H16 Cl N5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 2-phenyl-4-[4-[2-[4-(1-phenyl-1H-pyrazol-3-yl)phenyl]ethenyl]phenyl]- (9CI)
MF C33 H24 N4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Acetamide, N-[[1-(1,3-benzodioxol-5-ylmethyl)-3-pyrrolidinyl]methyl]-2-[[5-(4-methoxyphenyl)-2-pyrimidinyl]oxy]- (9CI)
MF C26 H28 N4 O5

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 2-chloro-5-[4-(4-propylcyclohexyl)phenyl]-, trans- (9CI)
MF C19 H23 Cl N2

Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Propanoic acid, 2-[[2-[4-(nonyloxy)phenyl]-5-pyrimidinyl]oxy]-, ethyl ester (9CI)
MF C24 H34 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 4(1H)-Pyrimidinone, 2-amino-5-bromo-6-(4-chlorophenyl)- (9CI)
MF C10 H7 Br Cl N3 O

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 5-(heptyloxy)-2-[4-[(4S)-4,8,8,10,10,11,11,13,13,14,14,16,16,16-tetradecafluoro-6,9,12,15-tetraoxahexadec-1-yl]phenyl]- (9CI)
MF C29 H32 F14 N2 O5

Absolute stereochemistry.

PAGE 1-A



PAGE 1-B



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzoic acid, 4-[5-(2-methylbutyl)-2-pyrimidinyl]-, 4-fluorophenyl ester (9CI)
MF C22 H21 F N2 O2

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 2-(3-butynylthio)-5-phenyl- (9CI)
MF C14 H12 N2 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Ethenesulfonamide, N-[6-[2-[(5-bromo-2-pyrimidinyl)oxy]ethoxy]-5-(4-chlorophenyl)-4-pyrimidinyl]-2-(4-chlorophenyl)- (9CI)
MF C24 H18 Br Cl2 N5 O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 4-(2-bromophenyl)-5-(6-iodo-1,3-benzodioxol-5-yl)- (9CI)
MF C17 H10 Br I N2 O2

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 2-[4-(decyloxy)phenyl]-5-octyl-, mixt. with (R)-4-(2-butoxypropoxy)-4'-[2-(4-octylphenyl)ethyl]-1,1'-biphenyl, 2-(4'-heptyl[1,1'-biphenyl]-4-yl)-5-octylpyrimidine, 2-[4-(hexyloxy)phenyl]-5-octylpyrimidine, 2-[4-(nonyloxy)phenyl]-5-octylpyrimidine, 5-octyl-2-[4-(octyloxy)phenyl]pyrimidine and 5-octyl-2-(4'-pentyl[1,1'-biphenyl]-4-yl)pyrimidine (9CI)
MF C35 H48 O2 . C31 H42 N2 . C29 H38 N2 . C28 H44 N2 O . C27 H42 N2 O . C26 H40 N2 O . C24 H36 N2 O
CI MXS

CM 1

Absolute stereochemistry.



CM 2



CM 3

V. Balasubramanian



CM 4



CM 5



CM 6



CM 7



L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2H-1-Benzopyran-7-ol, 6-[2-amino-6-(4-methylphenyl)-4-pyrimidinyl]-3,4-dihydro-8-methyl-2-phenyl- (9CI)
MF C27 H25 N3 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzaldehyde, 2-chloro-, [4-(4-chlorophenyl)-6-(trifluoromethyl)-2-pyrimidinyl]hydrazone (9CI)
MF C18 H11 Cl2 F3 N4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 5-Pyrimidinemethanol, 2-[4-(hexyloxy)phenyl]-.alpha.-methyl-, mixt. with (E)-5-butoxy-2-[4-(1-octenyl)phenyl]pyrimidine, (E)-2-[4-(decyloxy)phenyl]-5-(1-heptenyl)pyrimidine and (E)-2-[4-(decyloxy)phenyl]-5-(1-nonenyl)pyrimidine (9CI)
MF C29 H44 N2 O . C27 H40 N2 O . C22 H30 N2 O . C18 H24 N2 O2
CI MXS

CM 1

V. Balasubramanian



CM 2

Double bond geometry as shown.



CM 3

Double bond geometry as shown.



CM 4

Double bond geometry as shown.



L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Phenol, 4-[5-(4-heptylphenyl)-2-pyrimidinyl]- (9CI)
MF C23 H26 N2 O

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzenamine, 4-(5-butyl-2-pyrimidinyl)- (9CI)
MF C14 H17 N3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Ethanol, 2-[3-[2-chloro-5-(2,4-diamino-6-ethyl-5-pyrimidinyl)phenyl]-1-[(4-nitrophenyl)methyl]-2-triazenyl]-, acetate (ester) (9CI)
MF C23 H25 Cl N8 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 3-Pyridinecarboxylic acid, 6-[2-[[6-[[[4-(1,1-dimethylethyl)phenyl]sulfonyl]amino]-5-(4-methylphenyl)-4-pyrimidinyl]oxy]ethoxy]-, disodium salt (9CI)
MF C29 H30 N4 O6 S . 2 Na

V. Balasubramanian





L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzoic acid, 4-chloro-, 2-[[[5-acetyl-2-(4-methoxyphenyl)-6-methyl-4-pyrimidinyl]thio]acetyl]hydrazide (9CI)
MF C23 H21 Cl N4 O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-, methyl 6-[(6-methyl-2-phenyl-4-pyrimidinyl)oxy]hexyl ester (9CI)
MF C33 H36 N4 O7
CI COM



V. Balasubramanian

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 5-Pyrimidinecarboxylic acid, 4-butyl-6-(4-morpholinyl)-2-phenyl-, ethyl ester (9CI)
MF C21 H27 N3 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 2-[4-(2-methylbutoxy)phenyl]-5-[4-(octyloxy)cyclohexyl]-, [1(S)-trans]- (9CI)
MF C29 H44 N2 O2

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 5-decyl-2-[4-[(4-methyl-6-heptynyl)oxy]phenyl]-, (R)- (9CI)
MF C28 H40 N2 O

V. Balasubramanian

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 4-(2-chlorophenyl)-2-[(phenylmethyl)thio]- (9CI)
MF C17 H13 Cl N2 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 5-Pyrimidinecarboxamide, 4-(chlorodifluoromethyl)-2-(4-chlorophenyl)-N-[4-(trifluoromethyl)phenyl]- (9CI)
MF C19 H10 Cl2 F5 N3 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 5-Pyrimidinemethanamine, N-(1-ethyl-2-pyrrolidinyl)-4-methyl-6-(3-nitrophenyl)-2-phenyl- (9CI)
MF C24 H27 N5 O2

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 4,6-dichloro-5-[4-(dodecyloxy)cyclohexyl]-2-[4-[(6-methyloctyl)oxy]phenyl]- (9CI)
MF C37 H58 Cl2 N2 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 5-Pyrimidinecarbonitrile, 4-(2-chlorophenyl)-6-[(3-methylphenyl)amino]-2-phenyl- (9CI)
MF C24 H17 Cl N4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

V. Balasubramanian

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Methanesulfonamide, N-[6-[[2-[[4-(2,4-dichlorophenyl)-5-(1H-imidazol-2-yl)-2-pyrimidinyl]amino]ethyl]amino]-3-nitro-2-pyridinyl]- (9CI)
MF C21 H19 Cl2 N9 O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Ethanone, 1-[4-[[4-(5-decyl-2-pyrimidinyl)phenoxy]methyl]phenyl]- (9CI)
MF C29 H36 N2 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Phosphonium, [[4-(4-fluorophenyl)-6-(1-methylethyl)-2-phenyl-5-pyrimidinyl]methyl]triphenyl-, bromide (9CI)
MF C38 H33 F N2 P . Br



L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Pyrimidine, 2-(methylthio)-4-[3-(trifluoromethyl)phenyl]- (9CI)
MF C12 H9 F3 N2 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> log y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	1.60	1.75

STN INTERNATIONAL LOGOFF AT 11:40:21 ON 07 MAR 2002

Connection closed by remote host